

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		Description	
<b>LAWSON ELEMENTARY SCHOOL</b> <b>1105 FAIRGROUNDS RD</b> <b>JEFFERSON CITY, MO 65109</b>			
ROUTINE INSPECTION	Occurred 09/18/19 0	Description  No Violations Cited	Status
<b>MOREAU HEIGHTS ELEMENTARY SCHOOL</b> <b>1410 HOUGH PARK ST</b> <b>JEFFERSON CITY, MO 65101</b>			
ROUTINE INSPECTION	Occurred 09/17/19	Description  OBSERVED: commercial dishwasher has incorrect sanitizing level.	Status  PRIORITY
<b>THOMAS JEFFERSON MIDDLE SCHOOL</b> <b>1201 FAIRGROUNDS RD</b> <b>JEFFERSON CITY, MO 65109</b>			
ROUTINE INSPECTION	Occurred 09/18/19 0	Description  No Violations Cited	Status
<b>HELIAS HIGH SCHOOL</b> <b>1305 SWIFTS HWY</b> <b>JEFFERSON CITY, MO 65109</b>			
ROUTINE INSPECTION	Occurred 09/24/19	Description  OBSERVED: food product not elevated off floor in walk in freezer. OBSERVED: food debris on floor under shelf in walk in cooler. OBSERVED: Can opener blade mount has debris present.	Status  CORE CORE CORE
<b>SAINT JOSEPH ELEMENTARY SCHOOL</b> <b>2303 W MAIN ST</b> <b>JEFFERSON CITY, MO 65109</b>			
ROUTINE INSPECTION	Occurred 09/24/19	Description  OBSERVED: chopped ham above 41 F during thawing, at 50 F CORRECTED ON SITE OBSERVED: True reach in cooler door gaskets are torn [scheduled for replacement later]	Status  CORE CORE
<b>SAINT PETERS ELEMENTARY SCHOOL</b> <b>314 W HIGH ST</b> <b>JEFFERSON CITY, MO 65101</b>			
ROUTINE INSPECTION	Occurred 09/23/19	Description  OBSERVED: non-food contact surfaces clean: dish station hood exterior, bakery drawers grabs CORRECTED ON SITE: items cleaned before leaving site	Status  CORE
<b>TRINITY LUTHERAN ELEMENTARY SCHOOL</b> <b>803 SWIFTS HWY</b> <b>JEFFERSON CITY, MO 65109</b>			
ROUTINE INSPECTION	Occurred 09/24/19	Description  OBSERVED: Sanitizer water was too strong CORRECTED ON SITE OBSERVED: Several dented cans in the storage area. CORRECTED ON SITE OBSERVED: Reach in Cooler was not at the proper temperature	Status  PRIORITY PRIORITY PRIORITY

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		Description	
<b>TOWNE GRILL</b> <b>315 JEFFERSON ST</b> <b>JEFFERSON CITY, MO 65101</b>			
ROUTINE INSPECTION	Occurred 09/26/19	Description	Status
		OBSERVED: Paper towels not on a dispenser.	CORE
<b>DOLLAR GENERAL STORE #1219</b> <b>1414 MISSOURI BLVD</b> <b>JEFFERSON CITY, MO 65109</b>			
ROUTINE INSPECTION	Occurred 09/16/19	Description	Status
		OBSERVED: No hand washing sign present in the restroom CORRECTED ON SITE	CORE
<b>DOMINO'S PIZZA</b> <b>3732 W TRUMAN BLVD</b> <b>JEFFERSON CITY, MO 65109</b>			
ROUTINE INSPECTION	Occurred 09/24/19	Description	Status
		OBSERVED: Debris present on the vent covers.	CORE
<b>KATE AND ALLY'S PIZZARIA</b> <b>1418 MISSOURI BLVD STE A</b> <b>JEFFERSON CITY, MO 65109</b>			
ROUTINE INSPECTION	Occurred 09/24/19	Description	Status
		OBSERVED: wall/floor/shelf in food prep area has food residue present.	CORE
		OBSERVED: dust accumulation on exhaust filters.	CORE
<b>LONGHORN STEAKHOUSE OF JC #5219</b> <b>3545 MISSOURI BLVD</b> <b>JEFFERSON CITY, MO 65109</b>			
ROUTINE INSPECTION	Occurred 09/10/19	Description	Status
		OBSERVED: Air vent had debris present	CORE
		OBSERVED: Cold holding unit was not at the proper temperature.	PRIORITY
		OBSERVED: Date labels missing from some items in a cold holding unit.	PRIORITY
		OBSERVED: Gasket was torn on a cold holding unit	CORE
FOLLOW-UP INSPECTION 0	Occurred 09/20/19	Description	Status
		No Violations Cited	
<b>MI TOLTECA MEXICAN RESTAURANT</b> <b>1850 C STE E</b> <b>JEFFERSON CITY, MO 65109</b>			
ROUTINE INSPECTION	Occurred 09/09/19	Description	Status
		OBSERVED: clean dirty pass through wall present in servers station, also clean exterior of ice maker, clean ceiling in kitchen	CORE
		OBSERVED: paper towel dispensers lack paper towels: bar [out], kitchen [batteries out], servers station [out]	CORE
		OBSERVED: unused, broken equipment present in dumpster enclosure and around back of the store	CORE

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

## Facility Name &amp; Address

**PAPA JOHNS PIZZA USA, INC**  
**2103 MISSOURI BLVD**  
**JEFFERSON CITY, MO 65109**

ROUTINE Occurred  
 INSPECTION 09/18/19

Description

Description

Status

OBSERVED: Cooler door is not closing properly  
 OBSERVED: Debris present in the hood vents.

CORE

**RED LOBSTER #733**

**3519 COUNTRY CLUB DR**  
**JEFFERSON CITY, MO 65109**

ROUTINE Occurred  
 INSPECTION 09/17/19

Description

Status

OBSERVED: Time stamps not present on items in the holding area.  
 CORRECTED ON SITE  
 OBSERVED: Utensils had debris present  
 CORRECTED ON SITE  
 OBSERVED: Lights in areas of the kitchen are missing shields.  
 OBSERVED: Floors in the Walk in Cooler had debris present  
 OBSERVED: Equipment lid is cracked  
 OBSERVED: Plates under a cooking fixture.  
 OBSERVED: Torn gasket on a reach in cooler  
 OBSERVED: Item in a cold holding table was not at the proper  
 temperature.  
 CORRECTED ON SITE

PRIORITY

PRIORITY

CORE

PRIORITY

**SAWADDEE**

**103 E HIGH ST**  
**JEFFERSON CITY, MO 65101**

ROUTINE Occurred  
 INSPECTION 09/12/19

Description

Status

OBSERVED: Holes present in the wall in the food prep area  
 OBSERVED: Torn gasket present on a reach in cooler

CORE

**STEAK 'N SHAKE**

**2519 MISSOURI BLVD**  
**JEFFERSON CITY, MO 65109**

ROUTINE Occurred  
 INSPECTION 09/12/19

Description

Status

OBSERVED: walls and floors in the store are missing coved base  
 tiles and walls are bulging with water damage present  
 OBSERVED: floors soiled with residue near walls and back under  
 equipment, [clean deeper]  
 OBSERVED: servers salad station iced over, food was removed until  
 unit is serviced  
 OBSERVED: non-food contact surfaces soiled: soda fountain,  
 interior of fryers cabinet, back steam table wall, can opener, underside  
 of shelving [above steam table]

CORE

CORE

CORE

**SUBWAY CAPITAL MALL #15307**  
**3600 COUNTRY CLUB DR STE 216**  
**JEFFERSON CITY, MO 65109**

ROUTINE Occurred  
 INSPECTION 09/26/19

Description

Status

OBSERVED: Food items stored on the floor in the restroom  
 CORRECTED ON SITE  
 OBSERVED: Knife had debris present that was currently in use.  
 CORRECTED ON SITE

CORE

PRIORITY

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		Description	
<b>SUBWAY SUPERCENTER</b> <b>401 SUPERCENTER DR</b> <b>JEFFERSON CITY, MO 65101</b>			
	Occurred	Description	Status
ROUTINE	09/27/19		
INSPECTION			
		OBSERVED: Food items in the walk in cooler were stored on the floor	CORE
		OBSERVED: Reach in cooler was not at the proper temperature	PRIORITY
<b>TACO BELL #382</b> <b>2605 MISSOURI BLVD</b> <b>JEFFERSON CITY, MO 65109</b>			
	Occurred	Description	Status
ROUTINE	09/23/19		
INSPECTION			
		OBSERVED: Debris present in the bottom of the reach in freezer	CORE
		CORRECTED ON SITE	
<b>THE MISSION LLC</b> <b>915 E HIGH ST X</b> <b>JEFFERSON CITY, MO 65101</b>			
	Occurred	Description	Status
ROUTINE	09/16/19		
INSPECTION			
		OBSERVED: refrigeration equipment not maintaining temperature:	CORE
		Criterion dorm cooler icing up, Leer ice freezer just below 30 F	
		OBSERVED: damaged wall [hole] present in females restroom	CORE
<b>WAL-MART SUPERCENTER #5477--GROCERY/DAIRY</b> <b>401 SUPERCENTER DR</b> <b>JEFFERSON CITY, MO 65101</b>			
	Occurred	Description	Status
ROUTINE	09/17/19		
INSPECTION			
0		No Violations Cited	
<b>SCHNUCKS-SEAFOOD</b> <b>1801 MISSOURI BLVD</b> <b>JEFFERSON CITY, MO 65109</b>			
	Occurred	Description	Status
ROUTINE	09/03/19		
INSPECTION			
		OBSERVED: base coving in disrepair in work room.	CORE
		OBSERVED: debris present on floor behind steamer.	
		CORRECTED ON SITE.	
<b>WAL-MART SUPERCENTER #5477--BAKERY</b> <b>401 SUPERCENTER DR</b> <b>JEFFERSON CITY, MO 65101</b>			
	Occurred	Description	Status
ROUTINE	09/16/19		
INSPECTION			
		OBSERVED: single service articles stored improperly [cake decorations very near first aid supplies]	CORE
		OBSERVED: several light shields have breaks present, several ceiling tiles have water damage present [holes]	CORE
<b>WAL-MART SUPERCENTER #5477--PRODUCE</b> <b>401 SUPERCENTER DR</b> <b>JEFFERSON CITY, MO 65101</b>			
	Occurred	Description	Status
ROUTINE	09/16/19		
INSPECTION			
		OBSERVED: non-food contact surfaces not maintained: evaporator pan and drain stopped up in cooler	CORE
		OBSERVED: unshielded light fixture over triple sink	CORE

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address		<u>Description</u>	
<b>WAL-MART SUPERCENTER #5477--DELI</b>			
<b>401 SUPERCENTER DR</b>			
<b>JEFFERSON CITY, MO 65101</b>			
	Occurred	Description	Status
ROUTINE	09/17/19		
INSPECTION			
		OBSERVED: non-food contact surfaces soiled: hood, filters, packaging station wall	CORE
<b>WAL-MART SUPERCENTER #5477--MEAT/SEAFOOD</b>			
<b>401 SUPERCENTER DR</b>			
<b>JEFFERSON CITY, MO 65101</b>			
	Occurred	Description	Status
ROUTINE	09/16/19		
INSPECTION			
0		No Violations Cited	
<b>AFC</b>			
<b>1801 MISSOURI BLVD</b>			
<b>JEFFERSON CITY, MO 65109</b>			
	Occurred	Description	Status
ROUTINE	09/03/19		
INSPECTION			
0		No Violations Cited	
<b>CLARKE SENIOR CENTER</b>			
<b>1310 LINDEN DR</b>			
<b>JEFFERSON CITY, MO 65109</b>			
	Occurred	Description	Status
ROUTINE	09/27/19		
INSPECTION			
		OBSERVED: sanitizer tested too low	PRIORITY
		CORRECTED ON SITE: replaced empty sanitizer bucket and retested ok	
		OBSERVED: floor has broken tiles near ice machine; wall has loose coved base strip near hand sink and also near ice machine	CORE
<b>ABC PRESCHOOL</b>			
<b>1950 ROLLING HILLS DR</b>			
<b>JEFFERSON CITY, MO 65109</b>			
	Occurred	Description	Status
ROUTINE	09/13/19		
INSPECTION			
		OBSERVED: Food item not from an approved source	PRIORITY
		CORRECTED ON SITE	
<b>GODS LITTLE TIKES CHILDCARE</b>			
<b>95 GRANT ST STE B</b>			
<b>JEFFERSON CITY, MO 65101</b>			
	Occurred	Description	Status
ROUTINE	09/11/19		
INSPECTION			
0		No Violations Cited	

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

## Facility Name &amp; Address

Description

**RUBY TUESDAY'S**  
**2300 MISSOURI BLVD**  
**JEFFERSON CITY, MO**

65109

Occurred

09/04/19

ROUTINE  
 INSPECTION

Description

Status

OBSERVED: food product in drawer cooler not at required 41  
 degrees F or less.

PRIORITY

OBSERVED: areas on wall by commercial dishwasher not clean.

CORE

Description

Status

Occurred

09/10/19

FOLLOW-UP  
 INSPECTION  
 0

No Violations Cited

**POPEYE'S LOUISIANA CHICKEN**  
**2102 MISSOURI BLVD**  
**JEFFERSON CITY, MO**

65109

Occurred

09/06/19

ROUTINE  
 INSPECTION

Description

Status

OBSERVED: Leak present at a plumbing fixture.

CORE

OBSERVED: Necessary items needed in toilet facilities and employee  
 sanitation areas were not present

OBSERVED: Items in the food preparation area had debris present

CORE

OBSERVED: Equipment in disrepair

**DUNKIN DONUTS AND BASKIN ROBBINS**  
**2207 MISSOURI BLVD**  
**JEFFERSON CITY, MO**

65109

Occurred

09/04/19

ROUTINE  
 INSPECTION

Description

Status

OBSERVED: the following equipment is soiled and requires further  
 cleaning: blender, blast freezer, dipper wells, can opener, racks

CORE

OBSERVED: boxed straws, lids, etc found on floor in cake decorating  
 area

CORE

OBSERVED: unused blast freezer in work area, torn door gasket  
 present on espresso Delfield cooler

CORE

OBSERVED: sanitizer tank empty at triple sink; wiping cloths not  
 stored in sanitizer due to above condition

PRIORITY

CORRECTED ON SITE: new sanitizer tank installed on triple sink and  
 tested ok

OBSERVED: recaulk cake decorating hand wash sink to wall; the  
 floor under the ovens and the floor in the walk in cooler are soiled;  
 lighting in walk in freezer insufficient

CORE

OBSERVED: garbage and spilled trash present around dumpster and  
 enclosure

CORE

**CITY OF JEFFERSON**  
**Food Establishment Inspection Report**  
 Listing of Violations by Facility ID and Activity Date

Facility Name &amp; Address

Description

**THE PIZZA COMPANY**  
**1508 E MCCARTY ST**  
**JEFFERSON CITY, MO 65101**

ROUTINE  
 INSPECTION

Occurred  
 09/24/19

Description

Status

OBSERVED: wall dirty under dish station air handler; floor dirty in ice machine room CORE

OBSERVED: improper storage of toxics and sanitizers with flour, bowls, condiments, etc in multiple locations PRIORITY

OBSERVED: non-food contact surfaces soiled: shelves in one door Coke cooler, shelves in pre-made rack, and ice maker interior top CORE

Description

Status

FOLLOW-UP  
 INSPECTION  
 0

Occurred  
 09/27/19

No Violations Cited

**KENTUCKY FRIED CHICKEN**  
**1209 MISSOURI BLVD**  
**JEFFERSON CITY, MO 65109**

ROUTINE  
 INSPECTION

Occurred  
 09/05/19

Description

Status

OBSERVED: Filter had debris present CORE

OBSERVED: Debris present at the self service area

OBSERVED: Debris present in a cooling unit

OBSERVED: Gaskets on a cooling unit were in disrepair

OBSERVED: Fan Covers had debris present

OBSERVED: Debris present on the floors in the kitchen area. CORE

OBSERVED: Reach in Freezer had debris present CORE

\*\*Inspector observed employee clean the reach in freezer out while on site \*\*